



# SAFETY DATA SHEET

## Canvas Juice

### 1. IDENTIFICATION

<b>Product Identifier</b>	Canvas Juice
<b>Product Code / SKU</b>	MAD-CANV-[SEE LABEL]
<b>Other Names</b>	Bleach-Free Canvas Cleaner; Fabric-Safe Bio-Cleaner
<b>Recommended Use</b>	Bleach-free, pH-neutral cleaner for marine canvas covers, bimini tops, boat cushions, sail covers, and synthetic fabric surfaces. Removes mold, mildew stains, salt deposits, bird droppings, and organic soiling without bleaching or damaging fabric fibers.
<b>Restrictions on Use</b>	Not for use on waxed or ceramic-coated surfaces. Not for food-contact surfaces. Keep out of reach of children and pets.

#### Supplier / Distributor

<b>Company</b>	MAD SOAPS Inc.
<b>Address</b>	2830 Solomons Island Rd, Edgewater, MD 21037
<b>Phone</b>	(883) 623-7627
<b>Email</b>	marketing@madsoaps.com
<b>Website</b>	www.madsoaps.com

#### Manufacturer

<b>Company</b>	Third-Party Manufacturer (identity withheld — available to authorized emergency responders upon request per 29 CFR 1910.1200(i))
<b>Reference</b>	White-label product. Hazard data derived from manufacturer bulk SDS. Formulation independently verified by supplier.

#### Emergency Contact

<b>24-Hour Chemical Emergency</b>	CHEMTREC: 1-800-424-9300 (USA / Canada)
<b>Poison Control Center</b>	1-800-222-1222 (USA)

### 2. HAZARD(S) IDENTIFICATION

#### Classification

GHS: Skin Corrosion / Irritation — Category 2 (H315); Serious Eye Damage / Eye Irritation — Category 2A (H319).

**Physical Hazards:** Not classified as flammable. Mixture is >80% water; does not sustain combustion.

**Other Hazards:** Contains 2-Butoxyethanol, which is toxic at pure-substance concentrations. As formulated (10-15% in aqueous solution), systemic hazard is substantially reduced. Product is not classified as acutely toxic at mixture level.

#### Label Elements

#### Pictograms



# SAFETY DATA SHEET

## Canvas Juice



GHS07 —  
Exclamation Mark

Signal Word: **WARNING**

### Hazard Statements

H315 — Causes skin irritation.

H319 — Causes serious eye irritation.

### Precautionary Statements — Prevention

Wash hands and exposed skin thoroughly after handling. Wear protective gloves and eye/face protection when using in spray form or concentrated quantities. Avoid contact with eyes. Use in well-ventilated areas.

### Precautionary Statements — Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do — continue rinsing. If eye irritation persists, get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

### Precautionary Statements — Storage

Store in a cool, dry, well-ventilated location away from direct sunlight. Keep container tightly sealed. Keep out of reach of children and pets. Do not freeze.

### Precautionary Statements — Disposal

Dispose of contents and container per applicable federal, state, and local regulations. Do not dispose of into waterways or storm drains.

### Other Hazards

Not classified for carcinogenicity, reproductive toxicity, or germ cell mutagenicity. 2-Butoxyethanol is IARC Group 3 (not classifiable as carcinogenic to humans).

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Synonyms	CAS No.	Concentration
Water	Aqua	7732-18-5	80 – 90%
2-Butoxyethanol	Ethylene glycol monobutyl ether, <del>1,1,1,2</del>	11176-26-7	10 – 15%
Proprietary blend (chelating agents, surfactants)	Withheld as Trade Secret	Withheld	< 15%

Concentrations are percent by weight. Identity of proprietary components withheld as trade secret per 29 CFR 1910.1200(i). No carcinogens recognized by OSHA, NTP, or IARC (Group 1 or 2A) are present.



# SAFETY DATA SHEET

## Canvas Juice

### 4. FIRST-AID MEASURES

<b>Eye Contact</b>	Immediately flush eyes with cool running water for at least 15 minutes, holding eyelids open. Remove contact lenses if present. Continue rinsing. Seek medical attention if irritation, redness, or pain persists.
<b>Skin Contact</b>	Remove contaminated clothing immediately. Wash skin with soap and water for at least 10 minutes. Seek medical attention if irritation develops or persists.
<b>Inhalation</b>	Remove person to fresh air and keep at rest. If symptoms persist or worsen, seek medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth with water. Give 1-2 glasses of water or milk if conscious. Call Poison Control Center (1-800-222-1222) or seek medical attention immediately.
<b>Most Important Symptoms</b>	Eye irritation and redness; skin irritation with prolonged contact; mild respiratory irritation possible in enclosed spaces.
<b>Medical Attention</b>	For significant ingestion, monitor for gastrointestinal upset and hemolytic effects (2-Butoxyethanol component). Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Water spray, CO <sub>2</sub> , dry chemical powder, or alcohol-resistant foam.
<b>Unsuitable Extinguishing Media</b>	None. Product is non-flammable as formulated.
<b>Specific Hazards</b>	Product does not support combustion (>80% water). Under fire conditions, thermal decomposition may produce CO, CO <sub>2</sub> , and trace organic vapors from the glycol ether.
<b>PPE for Firefighters</b>	Full structural fire-fighting protective gear. SCBA in enclosed or poorly ventilated spaces.
<b>Flash Point</b>	None detected for mixture. Pure 2-Butoxyethanol flash point: 61 degC (142 degF) — not applicable to this aqueous mixture.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use appropriate PPE (Section 8). Isolate the spill area; keep unauthorized personnel away. Avoid contact with skin and eyes. Ensure adequate ventilation.

**Environmental Precautions:** Prevent entry into waterways, storm drains, sewers, and soil. Marine users: exercise particular care near Chesapeake Bay and coastal waterways.

**Containment & Cleanup:** Small spills: absorb with inert dry material. Large spills: dike to contain. Pump to approved waste containers. Wash area with water.

### 7. HANDLING AND STORAGE

<b>Safe Handling</b>	Avoid contact with eyes, skin, and clothing. Avoid breathing mist or spray. Wash hands thoroughly after handling. Use in well-ventilated areas.
----------------------	---



# SAFETY DATA SHEET

## Canvas Juice

<b>Storage Conditions</b>	Store at 50-80 degF (10-27 degC). Do not freeze (may cause phase separation). Minimum shelf life: 2 years from manufacture date when stored sealed.
<b>Incompatible Materials</b>	Do NOT mix with bleach (sodium hypochlorite) — may generate toxic chlorine gas. Do not mix with strong acids or oxidizing agents.



# SAFETY DATA SHEET

## Canvas Juice

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Use in well-ventilated areas. Local exhaust ventilation recommended when applying by spray or in confined spaces. Emergency eyewash and safety shower per ANSI Z358.1.

Component	Standard	TWA Limit	Notes
2-Butoxyethanol (CAS 111-76-2)	ACGIH TLV	20 ppm	Skin notation
2-Butoxyethanol (CAS 111-76-2)	OSHA PEL	50 ppm (240 mg/m <sup>3</sup> ) 29 CFR 1910.1000 Table Z-1	
2-Butoxyethanol (CAS 111-76-2)	NIOSH REL	5 ppm (24 mg/m <sup>3</sup> )	More protective; skin notation

#### Personal Protective Equipment (PPE)

<b>Eye / Face</b>	Chemical splash goggles or safety glasses with side shields. Full face shield recommended for spray application.
<b>Hand</b>	Nitrile or neoprene gloves (min. 0.1 mm). For extended contact, use gloves rated for glycol ether service.
<b>Skin / Body</b>	Chemical-resistant apron or protective clothing for prolonged or large-scale use.
<b>Respiratory</b>	Not required under normal use. If airborne concentrations may exceed OSHA PEL (50 ppm), use NIOSH-approved respirator with OV/P100 cartridges per 29 CFR 1910.134.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid	<b>Appearance</b>	Clear, homogeneous liquid
<b>Color</b>	Colorless to very pale yellow	<b>Odor</b>	Mild, faintly glycol-like
<b>pH</b>	6.9 (neutral; mildly buffered)	<b>Melting / Freezing Point</b>	-9 degC (16 degF)
<b>Boiling Point</b>	~98 degC (208 degF) at 1 atm	<b>Flash Point</b>	None detected for mixture
<b>Vapor Pressure</b>	20.7 mm Hg at 25 degC	<b>Specific Gravity</b>	1.011
<b>Solubility in Water</b>	Complete — miscible in all proportions	<b>Viscosity</b>	Low (near water-like)

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions. No known reactivity hazards.
<b>Chemical Stability</b>	Stable. Will not polymerize.
<b>Conditions to Avoid</b>	Extreme heat (>49 degC / 120 degF), prolonged direct sunlight, freezing.
<b>Incompatible Materials</b>	Strong oxidizing agents (chlorine bleach) — may generate toxic chlorine gas; NEVER mix. Strong acids — may cause exothermic reaction.



# SAFETY DATA SHEET

## Canvas Juice

<b>Hazardous Decomposition</b>	Under fire or extreme heat: CO, CO <sub>2</sub> , and trace organic vapors from glycol ether component.
--------------------------------	---



# SAFETY DATA SHEET

## Canvas Juice

### 11. TOXICOLOGICAL INFORMATION

<b>Acute Oral Toxicity</b>	Not classified. Estimated mixture LD50 >3,000 mg/kg.
<b>Skin Irritation</b>	Category 2 — Causes skin irritation. Prolonged contact may cause dryness or dermatitis.
<b>Eye Irritation</b>	Category 2A — Causes serious eye irritation. Corneal damage not expected with prompt rinsing.
<b>Sensitization</b>	Not classified. No known sensitizing components.
<b>Carcinogenicity</b>	Not classified. 2-Butoxyethanol: IARC Group 3. No OSHA/NTP/IARC Group 1 or 2A carcinogens.
<b>Reproductive Toxicity</b>	Not classified.

#### Key Component Toxicological Data

Component	Route / Endpoint	Value
2-Butoxyethanol (CAS 111-76-2)	LD50 Oral (Rat)	470 mg/kg
2-Butoxyethanol (CAS 111-76-2)	LD50 Dermal (Rabbit)	220 mg/kg
2-Butoxyethanol (CAS 111-76-2)	LC50 Inhalation (Rat 4h)	450 ppm
Disodium EDTA (CAS 139-33-3)	LD50 Oral (Rat)	2,000 mg/kg
Water (CAS 7732-18-5)	LD50 Oral (Rat)	>90 mL/kg

Values are for pure individual components, NOT the mixture. At formulated concentrations (10-15% EGBE in >80% water), mixture LD50 is estimated at >3,000 mg/kg.

### 12. ECOLOGICAL INFORMATION

#### Aquatic Toxicity

Component	Endpoint	Value	Species / Condition
2-Butoxyethanol (CAS 111-76-2)	LC50 (fish) 96h	1,490-2,950 mg/L	Lepomis macrochirus
2-Butoxyethanol (CAS 111-76-2)	EC50 (Daphnia) 48h	>1,000 mg/L	Daphnia magna
Disodium EDTA (CAS 139-33-3)	LC50 (fish) 96h	320 mg/L	Poecilia reticulata
Sodium Bicarbonate (144-55-8)	LC50 (fish) 96h	8,250-9,000 mg/L	Lepomis macrochirus

<b>Persistence / Degradability</b>	2-Butoxyethanol: readily biodegradable (BOD5/COD >0.6). Disodium EDTA: may persist — avoid large-volume discharge.
<b>Bioaccumulative Potential</b>	2-Butoxyethanol: Log Pow = 0.81 — low bioaccumulation potential.
<b>Mobility in Soil</b>	Highly mobile in soil due to high water solubility.
<b>Other Adverse Effects</b>	Marine users: exercise special caution near Chesapeake Bay, coastal estuaries, and sensitive aquatic habitats.

### 13. DISPOSAL CONSIDERATIONS



# SAFETY DATA SHEET

## Canvas Juice

<b>Waste Disposal</b>	Dispose per applicable federal (RCRA), state, and local regulations. Small quantities may be disposed of to a permitted sanitary sewer if allowed. Do not dispose of into storm drains, surface water, or soil.
<b>Contaminated Packaging</b>	Rinse empty containers at least three times before disposal. Rinse water may be disposed of to a permitted sanitary sewer.
<b>Regulatory Waste Classification</b>	Does not meet the EPA definition of a RCRA hazardous waste (40 CFR Part 261).

### 14. TRANSPORT INFORMATION

<b>DOT (49 CFR — US Domestic)</b>	NOT REGULATED as a hazardous material. Mixture is >80% water.
<b>IATA (Air Transport)</b>	Not restricted as a dangerous good for air transport.
<b>IMDG (Marine Transport)</b>	Not classified as a marine pollutant under IMDG.
<b>UN Number</b>	None assigned — not regulated
<b>Packing Group</b>	Not applicable
<b>Special Precautions</b>	Keep containers upright and sealed. Protect from freezing and extreme heat.



# SAFETY DATA SHEET

## Canvas Juice

### 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

TSCA Inventory: All disclosed components are listed — 2-Butoxyethanol (CAS 111-76-2), Water (CAS 7732-18-5), Disodium EDTA (CAS 139-33-3), Cellulose 2-hydroxyethyl ether (CAS 9004-62-0), Sodium bicarbonate (CAS 144-55-8), Sodium percarbonate (CAS 4452-58-8).

SARA 311/312: Immediate Health Hazard (Irritant). SARA 313: 2-Butoxyethanol (CAS 111-76-2) is a TRI reportable chemical.

OSHA HazCom Standard: This SDS complies with 29 CFR 1910.1200 (HazCom 2012 / GHS).

#### U.S. State Regulations

California Prop 65: 2-Butoxyethanol is NOT listed. Massachusetts RTK, New Jersey RTKHSL, Pennsylvania RTK: 2-Butoxyethanol (CAS 111-76-2) — Listed.

### 16. OTHER INFORMATION

#### Full Text of GHS Hazard Codes

Code	Classification	Statement
H227	Flam. Liq. 4	Combustible liquid (component 2-Butoxyethanol only; mixture is non-flammable)
H302	Acute Tox. 4 (Oral)	Harmful if swallowed (component only)
H311	Acute Tox. 3 (Dermal)	Toxic in contact with skin (component only)
H315	Skin Irrit. 2	Causes skin irritation (MIXTURE classification)
H319	Eye Irrit. 2A	Causes serious eye irritation (MIXTURE classification)

#### NFPA 704 Hazard Rating

<b>Health:</b>	1	<b>Flammability:</b>	0
<b>Instability:</b>	0	<b>Special:</b>	—

#### HMIS Rating

<b>Health:</b>	1	<b>Flammability:</b>	0
<b>Physical Hazard:</b>	0	<b>PPE:</b>	B

#### Document Information

<b>Prepared By</b>	MAD SOAPS Inc. — Marketing & Compliance
<b>Revision Date</b>	June 17, 2026
<b>Version</b>	2.0
<b>Supersedes</b>	All previous versions
<b>SDS Format</b>	OSHA HazCom 2012 / GHS Rev. 7 — 16-Section Format



# SAFETY DATA SHEET

## Canvas Juice

This Safety Data Sheet is prepared in accordance with OSHA HazCom 2012 (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Revision 7. The information provided is based on current knowledge and is intended to describe this product solely for health, safety, and environmental compliance purposes. MAD SOAPS Inc. shall not be liable for any damage resulting from use contrary to the instructions contained herein or from abnormal application of this product.